



BRONZE: NFW H-L

Monitor Audio's story is intertwined with the evolution of our series to benefit from a version of Platinum's extraordinary world-famous speaker lines. Driven by top-down innovation C-CAM® ribbon tweeter; for Silver to inherit Gold's and ever more accurate acoustic analysis, each generation has 'dished' C-CAM driver designs, and similarly for New Bronze grown in capability, achieving award-winning levels of quality, to absorb the latest refinements in tweeter and driver performance and value with every introduction. Our restless engineering from the Silver project. In many ways New desire for the most blissful combination of great sound and Bronze has everything to gain from Monitor Audio's dynamic design at all price points, demands that where possible we forty-year design heritage. Enriched as it is with elements of share the technology across ranges so that driver designs and Platinum, Gold and Silver, the brilliant new Bronze series will analytic tools developed upstream serve to enhance ranges transcend the expectations of its price class and eclipse even further down. For example this approach allows the New Gold its venerated multi-award winning predecessor Bronze BX.

Our latest champion moves up a gear from BX and rival The proprietary bass and mid drivers responsible for Bronze's Enhancing system performance is our 'bolt-through' driver the look and feel of a premium range.

It sounds like one as well. Drawing on our flagship technologies operation at all volume levels. we've engineered the acoustic design to deliver lower distortion the bank.

expensive world of audiophile design.

budget speakers because New Bronze is simply in a class open, expressive and naturally rhythmic quality utilise a new mounting design, first devised for our Radius series models of its own. The features speak for themselves. For the first type of 'dished' C-CAM cone, which employs the entire cone but now adopted by all our speaker ranges. The drivers are time we're using spectacular steel-grey C-CAM driver cones surface to radiate sound. Unbroken by the centre pole-piece individually mounted on a through-bolt which fixes at the back for a seamless blend with finishes, available in a choice of aperture of conventional driver designs, the cone is inherently of the cabinet and tensions the driver at the front. Cleverly this Black Oak, Walnut, Rosemah and a new White Ash. Invisible more rigid and efficient while being less prone to break-up triple-action feature braces the cabinet structure for lower driver fixings and floating magnetic grilles add to the under high drive conditions, resulting in exceptional detail box colouration while removing the need for conventional impression of streamlined sophistication, lending New Bronze resolution and life-like tonality. Ingeniously, the driver's voice front fixings, reducing unwanted driver/cabinet resonance and coil is thermally coupled to the back of the cone, which draws simultaneously boosting aesthetics. heat away from the coil for better power handling and optimal

deceptively slender models. Combined for natural full-range extends each system's frequency response to an ultra-sonic and out of the cabinet for cleaner, more powerful bass and a music and home cinema sound, New Bronze will transform the 30kHz, allowing the full reproduction of harmonic frequencies superior transient response. quality of your home entertainment at a price that won't break vital to the accurate reproduction of, say, the decay of a piano string or the crash of a hi-hat. Within the New Bronze tweeter, Best possible signal integrity through the crossover is supplied an innovative venting system allows air to flow outside the by polypropylene film capacitors, air core and laminated All new C-CAM driver configurations give New Bronze the tweeter's magnet assembly into a rear loading chamber, steel core inductors. With slightly higher overall impedance tonal accuracy and consistency of a class leader. Harnessing preventing air from being compressed at the back of the than their BX predecessors, the New Bronze line-up offers driver technology developed for our acclaimed mid-market dome for lower distortion, reduced mechanical resonance, and superior system-building flexibility with a wider choice of Silver models, New Bronze explodes the myth that high improved damping. Structural improvements in dome geometry partnering equipment. power handling with low distortion belongs exclusively to the and drive mechanism have boosted accuracy and extension at the top end of the tweeter's range as well, generating the extraordinary high frequency quality that helps to define the sound of New Bronze.

The reflex loading found on all New Bronze models (excluding Centre, FX and W10) is of the HiVe®II variety, borrowed from the and a wider response from seven beautifully matched, Above the drivers, a new 25mm C-CAM Gold Dome tweeter Gold range, which uses rifled port grooves to speed the air in







BRONZE

We've optimised and tuned the diminutive Bronze One to be the their compact size would suggest from close-to-wall positions in a cleaner, more dynamic delivery, even at high power levels. a premium. The Bronze Ones are able to play much louder and deeper than

most accurate of any Bronze generation mini, imbuing the design in smaller room environments. Perfect for stand or shelf, or with true 'monitor' status. The 51/2" C-CAM bass driver has been wall-mounted using our Monitor Audio Speaker Mount (MASM), created to out-perform a larger conventional driver and results the Bronze Ones will deliver great sound where space is at



BRONZE 2

The Bronze Two builds on the strength of its predecessor's audiophile credibility with a neutral tonal balance and high detail resolution combined with high overall efficiency and power handling. These are the perfect ingredients for compelling listening. Armed with a larger 6.5" C-CAM bass driver and front-firing HiVe II port, the turbo-charged Bronze Two is capable of effortless dynamic scale and presence, revealing all the dramatic contrast in music and cinema sound. For a speaker of its size, the Bronze Two will deliver breath-taking results.



RONZE 5

The slender Bronze Five delivers powerful, responsive bass lines that belie its stealthy appearance and surpass those of many much larger towers. Its 5½" C-CAM bass driver and 5½" C-CAM bass/mid driver are arranged in a two and half way system configuration, operating in separate acoustic chambers with front and rear firing HiVe II ports to provide differential tuning for higher efficiency and greater low frequency extension. The Five's low-distortion architecture expertly combines clean, expressive mid and high frequencies with punchy roomfilling bass lines. The Bronze Five provides a naturally rhythmic and addictive blend of large-scale dynamics and detail from a surprisingly unobtrusive tower.



BRONZE 6

speaker, music and home theatre lovers can appreciate the full- seismic low bass and richly coherent mid-range detail range flavour of our forty year design heritage. Its deceptively rises in frequency to meet the illuminating resolution of our compact cabinet supports two 61/2" C-CAM bass drivers fabulous Bronze C-CAM tweeter. Here is New Bronze in tooth operating in tandem with a further 61/2" C-CAM mid-range and claw, alive to its ambitious audiophile design precedents unit housed in a dedicated chamber. In this way matching and equipped with a compelling mix of accuracy, scale and drivers tuned for different roles are able to develop a dynamics for the highest value music and home theatre audio.

From the towering Bronze Six, the most complete New Bronze wonderfully uniform, tonally consistent sound-field. Their



By sharing the New Bronze acoustic and aesthetic design ethos, the compact Bronze Centre is the natural partner for Bronze left/right speakers in a home theatre LCR array. It features twin 5½" C-CAM bass/mid-range drivers straddling a Bronze C-CAM tweeter for pin-point synergy with its satellite partners producing seamless front soundstage action and articulate dialogue.





BRONZE FX

Developing the perfect mix of reverberant or direct surround sound in a Bronze home cinema system, the wall-hugging New Bronze FX surround speaker will combine seamlessly with front channels to establish the immersive audio experience essential to successful home theatre design. Matched acoustically and aesthetically with its LCR counterparts, its angled-baffle cabinet can be flush-mounted on side or rear walls, and its dispersion characteristics changed at the flick of a switch to accommodate the precise requirements for di-pole (diffuse) or bi-pole (direct) operation. Flanking a single 5½" C-CAM bass/mid driver, dual C-CAM gold dome tweeters are mounted on angled side-panels, helping to create a wider, more enveloping and convincing surround sound-field.





BRONZE W10

All the audiophile-like transparency of New Bronze's low- Advanced switch-mode power conversion techniques, distortion design regimen concentrated in the bass domain. custom DSP tuning and a massive power reservoir combine This is New Bronze bass, deeply provisioned, authentically to generate enormous dynamic headroom from the proportioned and dynamically fleet of foot, re-tooled from Class D power-pack, allowing the driver to drop low and the ground up to punctuate the sound of every New Bronze punch hard without distortion for a truly sensational deep system with stunningly natural bass transients, timed to bass experience. A down-firing 10" ABR (Auxiliary Bass perfection. The sophisticated W10 subwoofer is a New Bronze Radiator) ensures that with the same compact footprint as original, featuring an exclusive trinity of uprated amplifier its predecessor, the W10 delivers an incredible 6dB greater topology, powerful DSP processing and new long-throw SPL at 40Hz. Choose how you enjoy the W10's prodigious bass driver design.

energy with pre-set EQ settings for music, movie or impact.



	BRONZE 1	BRONZE 2	BRONZE 5	BRONZE 6	BRONZE CENTRE	BRONZE FX
System Format	2 Way	2 Way	2 ^{1/2} Way	2 ^{1/2} Way	2 Way	2 Way
Frequency Response (-6dB - IEC 268-13)	55Hz – 30kHz	42Hz – 30kHz	37Hz – 30kHz	34Hz – 30kHz	60Hz - 30kHz	65Hz – 30kHz
Sensitivity 1W@1m	88dB	90dB	90dB	90dB	90dB	88dB
Maximum S.P.L. (1dBA @ 1m - each)	109dBA (pair)	113dBA (pair)	113.8dBA (pair)	114.8dBA (pair)	113dBA	110dBA (pair)
Nominal Impedance	80	80	80	80	Ω8	80
Power Handling - R.M.S.	70W	100W	120W	150W	120W	80W
Recommended Amp Requirements	15 - 70W	30 - 100W	30 - 120W	40 - 150W	20 - 120W	20 - 80W
Cabinet Design	Rear ported bass reflex. HiVe"II Port technology	Front ported bass reflex. HiVe II Port technology	Dual chamber bass reflex – Ported front and rear. HiVe II Port technology	Bass section - Front/rear bass reflex with HiVe II Port technology. Sealed mid-range enclosure.	Sealed Cabinet	Sealed Cabinet
Drive Unit Complement	1 x 5 ^{1/2″} C-CAM® bass / mid driver, 1 x 25mm gold dome C-CAM tweeter	1 x 6 ^{112"} C-CAM bass / mid driver, 1 x 25mm gold dome C-CAM tweeter	1 x 5 ¹¹² " C-CAM bass driver, 1 x 5 ¹¹² " C-CAM mid-range driver, 1 x 25mm gold dome C-CAM tweeter	2 x 6 ¹¹² " C-CAM bass driver, 1 x 6 ¹¹² " C-CAM mid-range driver, 1 x 25mm gold dome C-CAM tweeter	2 x 5 ^{112"} C-CAM bass / mid driver, 1 x 25mm gold dome C-CAM tweeter	1 x 5 ^{1/2"} C-CAM bass / mid driver, 2 x 25mm gold dome C-CAM tweeter
Crossover Frequency	2.7kHz	3.1kHz	LF: -6dB @ 600Hz MF/HF: 2.8kHz	LF: -6dB @ 150Hz MF/HF: 2.5kHz	3.0kHz	2.8kHz
Cabinet Dimensions (H x W x D)	260 x 165 x 180mm (10 ^{1/4} x 6 ^{1/2} x 7 ^{1/16} ")	350 x 185 x 255mm (13 ^{3/4} x 7 ^{5/16} x 10 ^{1/16} ")	850 x 165 x 248mm (33 ^{7/16} x 6 ^{1/2} x 9 ^{3/4} ")	985 x 185 x 315mm (38 ^{3/4} x 7 ^{5/16} x 12 ^{3/8} ")	165 x 460 x 165mm (6 ^{1/2} x 18 ^{1/8} x 6 ^{1/2} ")	274 x 276 x 104mm (10 ^{13/16} x 10 ^{7/8} x 4 ¹¹⁸ ")
Complete Dimensions inc grille, terminals, plinths & spikes (H x W x D)	260 x 165 x 205mm (10 ^{1/4} x 6 ^{1/2} x 8 ^{1/16} ")	350 x 185 x 281mm (13 ³⁴ x 7 ^{5/16} x 11 ^{1/16} ")	898 x 215 x 282mm (35 ³⁸ x 8 ^{7/16} x 11 ^{1/8} ")	1033 x 235 x 350mm (40 ^{11/16} x 9 ¹¹⁴ x 13 ³¹⁴ ")	165 x 460 x 193mm (6 ^{1/2} x 18 ^{1/8} x 7 ^{5/8} ")	274 x 281 x 118mm (10 ^{13/16} x 11 ^{1/6} x 4 ^{5/8} ")
Weight (each)	3.5kg (7lb 12oz)	5.3kg (11lb 10oz)	11kg (24lb 6oz)	16.6kg (36lb 8oz)	5.6kg (12lb 6oz)	3.2kg (7lb)

Weight (each

BRONZE W10

mat	Active subwoofer system - Auxiliary (ABR) loading. 18mm MDF cabinet
mit 13)	30Hz
mit	40 -120Hz (Variable Low Pass filter)
ent	12dB/ Octave Fixed @ 150Hz
1.S.	220W
tion	Class D with Switch mode PSU
des	Music / Movie / Impact
trol	0-180 degrees
ing	>3.5mV
nce	>20k0
ons	2 x Stereo RCA, 1 x LFE RCA connection, 12V trigger (3.5mm mono mini-jack)
ent	1 x 10" C-CAM long throw subwoofer driver + 1 x 10" flat panel ABR
ons (D)	320 x 320 x 330mm (12 ⁵¹⁸ x 12 ⁵¹⁸ x 13") 364 x 320 x 364mm (14 ⁵¹¹⁶ x 12 ⁵¹⁸ x 14 ⁵¹¹⁶ ") inc grille, amp & feet
age	110-120Vac - 50-60Hz 220-240Vac - 50-60Hz. Factory region pre-set
tion	<0.5W (ErP approved)
tion	200W
ch)	12.9kg (28lb 6oz)

MONITOR AUDIO LTD

24 Brook Road, Rayleigh Essex, SS6 7XJ England Tel: + 44 (0)1268 740580 Fax: + 44 (0)1268 740589 Email: info@monitoraudio.co.uk

monitoraudio.com Designed in the United Kingdom

